

RATAK+[®] Rodenticide Pellets

AGRICULTURAL

For rats and mice

GUARANTEE:

Brodifacoum..... 0.005%

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**



Warning, contains the allergen wheat.

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs. For indoor use only.

REGISTRATION NO. **16064**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **400 g - 800 g (50 g place packs)**

PRECAUTIONS FOR HANDLING BROKEN CARTONS

1. Prevent inhalation, skin and eye contact: wear rubber gloves, boots, safety goggles and **NIOSH** approved pesticide respirator.
2. Place damaged unit so further leakage is minimized. Cover spilled material and area around damaged unit with heavy absorbent and plastic sheeting to prevent dusting and blowing.
3. IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING CALL 1-800-327-8633 (FASTMED)

Syngenta Crop Protection Canada, Inc.
140 Research Lane, Research Park
Guelph, Ontario N1G 4Z3
Telephone: 1-877-964-3682

Made in U.S.A.

Product names marked ® or ™ are registered trademarks of a Syngenta Group Company

RATAK+[®] Rodenticide Pellets

AGRICULTURAL

For rats and mice

GUARANTEE:

Brodifacoum..... 0.005%

**READ THE LABEL & PAMPHLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN**



Warning, contains the allergen wheat.

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs. For indoor use only.

REGISTRATION NO. **16064**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **50 g Place Packs**

Syngenta Crop Protection Canada, Inc.
140 Research Lane, Research Park
Guelph, Ontario
N1G 4Z3
Telephone: 1-877-964-3682

Made in U.S.A.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes, flush with water for 15 minutes.

If on skin, wash with soap and water.

If ingested, drink one or two glasses of water and INDUCE VOMITING by touching back of the throat with finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Call a poison control centre and seek medical attention **IMMEDIATELY**. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

TOXICOLOGICAL INFORMATION

Vitamin K₁ in the form of intramuscular or subcutaneous injection, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing the prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

USE LIMITATIONS

Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating

food or surfaces that come in direct contact with food.

To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics:

- constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children and non-target animals;
- entrance designed so that children and non-target animals cannot reach the bait;
- internal structure that prevents bait from being shaken loose;
- access panel that fastens securely and locks (e.g., metal screw or padlock);
- capable of being securely fastened to a surface (e.g., nailed down); and
- clearly labelled "WARNING POISON".

STORAGE

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the Manufacturer.

RODENT DISPOSAL

Dispose of dead rodents in garbage or by burying.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-327-8633 (FASTMED)***

SEE PAMPHLET FOR USE DIRECTIONS.

Product names marked ® or ™ are registered trademarks of a Syngenta Group Company

RATAK+[®] Rodenticide Pellets

AGRICULTURAL

For rats and mice

GUARANTEE:

Brodifacoum..... 0.005%

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**



Warning, contains the allergen wheat.

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs. For indoor use only.

REGISTRATION NO. **16064**
PEST CONTROL PRODUCTS ACT

Syngenta Crop Protection Canada, Inc.
140 Research Lane, Research Park
Guelph, Ontario
N1G 4Z3
Telephone: 1-877-964-3682

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes, flush with water for 15 minutes.

If on skin, wash with soap and water.

If ingested, drink one or two glasses of water and INDUCE VOMITING by touching back of the throat with finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Call a poison control centre and seek medical attention **IMMEDIATELY**. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding.

TOXICOLOGICAL INFORMATION

Vitamin K₁ in the form of intramuscular or subcutaneous injection, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing the prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

USE LIMITATIONS

Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating

food or surfaces that come in direct contact with food.

To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics:

- constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children and non-target animals;
- entrance designed so that children and non-target animals cannot reach the bait;
- internal structure that prevents bait from being shaken loose;
- access panel that fastens securely and locks (e.g., metal screw or padlock);
- capable of being securely fastened to a surface (e.g., nailed down); and
- clearly labelled "WARNING POISON".

STORAGE

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the Manufacturer.

RODENT DISPOSAL

Dispose of dead rodents in garbage or by burying.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING
CALL 1-800-327-8633 (FASTMED)***

DIRECTIONS FOR USE

FOR INDOOR USE ONLY.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

FOOD PROCESSING, FOOD MANUFACTURING, FOOD STORAGE and FOOD SERVICE AREAS: For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

NORWAY AND ROOF RATS: Place 1 to 2 place-packs of RATAK+ pellets every 5 to 10 metres. Maintain an uninterrupted supply of fresh bait for at least 10 days until signs of rat activity cease.

HOUSE MICE: Place 1 place-pack of RATAK+ pellets every 2 to 4 metres. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease.

Product names marked ® or ™ are registered trademarks of a Syngenta Group Company
This product is protected by Canadian patent number 1034954 which is the property of Ward Blenkinsop and Company Ltd.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.