

MATERIAL SAFETY DATA SHEET**1. PRODUCT AND COMPANY IDENTIFICATION****15-2-3**

Country Green

Manufacturer / Supplier

Terralink Horticulture Inc.
 464 Riverside Road,
 Abbotsford, BC. Canada
 V2S 7M1
 Ph: 604-864-9044
 Fax: 604-864-8418



CEDA Emergency Response Team
24 Hr. Emergency Telephone Numbers
604-540-4100 Chemical Spills: 1-800-663-3456

2. HAZARDOUS INGREDIENTS

<u>Hazardous Ingredients</u>	<u>CAS#</u>	<u>TLV</u>	<u>LD₅₀</u> (oral)	<u>LC₅₀</u>
<u>Non-hazardous Ingredients</u>				
Urea Ammonium Nitrate 23-0-0			(rat)>2000mg/kg	N/AP
Nitric acid ammonium salt mixed with urea	15978-77-5	N/AP	N/AP	N/AP
Ammonia	7664-41-7	25ppm	N/AP	N/AP
Water	7732-18-5	N/AV	(rat)>90mL/kg	N/AV
Ammonium Polyphosphate 10-34-0	N/AP	N/AP	N/AP	N/AP
Muriate of Potash				
Potassium Chloride	7447-40-7	3mg/m ³	(rat)2.6g/kg	N/AV
Sodium Chloride	7647-14-5	5mg/m ³	(rat)3g/kg	(rat)>42g/m ³
UMAXX	57-13-6	N/AV	(rat)2250mg/kg	N/AV

3. PHYSICAL DATA

Physical state: Liquid
Specific gravity: N/AP
Boiling point: N/AP
Melting point: N/AP
Appearance and Odour: N/AV
Odour Threshold (ppm): N/AV
Vapour Density: N/AV
Vapour Pressure (mmHg): N/AV
pH: N/AV
Evaporation Rate: N/AV
Coefficient of Water/Oil Distribution: N/AV

4. FIRE AND EXPLOSION DATA

Flammability under which conditions: none known

Means of Extinction: Use extinguishing media appropriate for surrounding fire.

Flashpoint: N/AP

Autoignition Temperature: N/AV

Hazardous Combustion Products: N/AV

Upper Flammable Limit (% by volume): N/AV

Lower Flammable Limit (% by volume): N/AV

Explosion Data – Sensitivity to Impact: N/AV

Explosion Data- Sensitivity to Static Discharge: N/AV

5. REACTIVITY DATA

Chemical Stability: Normally stable

Incompatibility with Other Substances: Slightly reactive with reducing agents, combustible materials, metals. Very slightly reactive with acids and alkalis. Incompatible with strong oxidizers or reducing agents. May be incompatible with finely powdered metals (cadmium, copper, lead, cobalt, nickel, bismuth, chromium, magnesium,, zinc, sodium, potassium and aluminum).may explode by detonation, heat or shock when evaporated to near dryness.

Hazardous Decomposition Products: None known

6. TOXICOLOGICAL PROPERTIES

Routes of Entry

Skin Contact: Y **Skin Absorption:** N **Eye Contact:** Y **Inhalation:** N **Ingestion:** Y

Effects of Acute Exposure to Product: This product may irritate eyes and skin upon prolonged or repeated contact. Over-exposure by inhalation may cause respiratory tract irritation. Ingestion may produce irritation of the gastrointestinal tract, characterized by burning and diarrhea. May be dangerous in case of ingestion by infants by reducing the oxygen carrying capacity of the blood.

Effects of Chronic Exposure to Product: Possibility of local irritation and dental erosion

Exposure Limits: N/AV

Irritancy: skin, eyes, inhalation

Sensitization: no

Carcinogenicity: no

Reproductive Toxicity: No

Teratogenicity: No

Mutagenicity: No

Synergistic Products: No

7. PREVENTIVE MEASURES

Personal Protective Equipment

Gloves: Y Respirator: Y Eye: Y Footwear: Y Clothing: Y Other

If Y above specify

Gloves: Rubber, Nitrile

Eye: Dust or splash-proof chemical safety goggles or face shield

Clothing: Rubber or Nitrile gloves, long sleeve shirts and pants or coveralls, boots, and/or other resistant protective clothing. Have a safety eyewash fountain readily available in the work area.

Engineering Controls: Use local exhaust ventilation to control dust or mist. Supply sufficient replacement air to make up for air removed by exhaust system, process of personnel enclosure and control of process conditions.

Leak and Spill Procedures: Restrict access to area until completion of clean-up. Provide adequate personal protective equipment and ensure clean-up is conducted by trained personnel only. Ventilate area. Remove any reactive chemicals from the area.

Waste Disposal: According to local, provincial and federal government requirements

Handling Procedures and Equipment: Avoid inhalation and eye contact. Wear rubber or Nitrile gloves, chemical splash goggles and dust mask. Do not mix with incompatible materials. (see Section 5)

Storage Requirements: Keep in a cool, dry and well-ventilated area. Store away from incompatible materials

Special Shipping Information: Normal shipping procedures

8. FIRST AID MEASURES

Inhalation: Remove source of contamination or have victim move to fresh air. Obtain medical advice immediately

Ingestion: Not normally ingested. If irritation or discomfort occurs, obtain medical advice immediately.

Skin Contact: Flush with lukewarm, gently flowing water until the chemical is removed. Remove contaminated clothing, shoes and leather goods (e.g. watchbands, belts, etc.). Obtain medical attention if pain or irritation develops or persists. Completely decontaminate clothing, shoes and leather goods before re-use or discard.

Eye Contact: Do not let victim rub eyes. Immediately flush eye(s) with lukewarm, gently running water for at least 20 minutes, while holding the eyelid(s) open. If irritation persists, obtain medical advice.

9. PREPARATION INFORMATION

Prepared by:

Regulatory Affairs
Terralink Horticulture Inc.

Telephone Number(s):
604-864-9044
800-661-4559

Date: January 29, 2009.



Class E – Corrosive Material

Disclaimer:

.....
Terralink Horticulture Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. **TERRALINK HORTICULTURE INC. MAKES NO REPRESENTATIONS OR WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATIONS SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, TERRALINK HORTICULTURE INC. WILL NOT BE RESPONSIBLE FOR DAMAGEES RESULTING FROM THE USE OF OR RELIANCE UPON THIS INFORMATION.**
.....